

COLONY

Tools, Supplies and Safety Products for Contractors

SURFACE PROTECTION




cover (guard)[®]
every way protected



AND MORE!

YEAH, WE GOT THAT.



COLONY PRODUCT CATALOG, NINTH EDITION.

VISIT YOUR LOCAL COLONY BRANCH TO GET YOUR COPY OR SCAN BELOW TO VIEW NOW.



Floor & Wall Protection

- Is strong, durable, tear and water resistant.
- Also resistant to most chemicals and solvents.
- Used to protect all types of horizontal and vertical surfaces and all types of finishes.
- Cover guards® unique diamond plate pattern provides anti-slip / anti-trip characteristics.



FIRE RETARDANT

Item	Description
25-0564	36" x 100' 10 mil
25-0557	36" x 393' 10 mil
25-0561	72" x 393' 10 mil
25-0560	36" x 180' 25 mil
25-0563	72" x 180' 25 mil
25-0559	36" x 120' 40 mil
25-0562	72" x 120' 40 mil
25-0555	Blue FR Tape

NON FIRE RETARDANT

Item	Description
25-0214	36" x 393' 10 mil
25-0216	36" x 180' 25 mil
25-0217	72" x 180' 25 mil
25-0218	36" x 120' 40 mil
25-0219	72" x 120' 40 mil



Trim to custom size



Protect your floors



Guide foot traffic with safety delineators post and bars



Safely place your working tools on our Cover Guard

Temporary Floor Protection




Ram Board Floor Protection

HEAVY-DUTY TEMPORARY FLOOR PROTECTION

- Flex-Fiber® technology
- Spill Guard® technology
- Non-staining
- Save on labor & damage repair

SAMPLE PRODUCT AVAILABLE!

Item	Description
14-0887	38" wide x 100'
14-0965	48" wide x 100'



Stair Shield™



Stair Shield™ is a dynamic, fluted-polypropylene stair protection product with an adjustable tread that protects 10.25", 11", and 11.25" treads. Protect the complete face of the staircase, including the tread, riser, and bullnose. Sold 24 per case.

Item	Description
25-0188	34" wide x 21" (unfolded)
25-0189	40" wide x 21" (unfolded)



Stair Armor™



- Heavy-duty temporary stair protection
- Reinforced bull nose guard
- Adjustable tread
- Spill Guard® technology
- Non-staining
- Recycled/Recyclable
- Save on labor & damage repair
- Size: 34" x 19"

Item	Description
14-1454	6-PK Stair Armor

SAMPLE PRODUCT AVAILABLE!



Edge Tape



- Easy release from flooring surfaces
- Heavy-duty
- Width for easy installation
- Safety orange identifies edges of flooring

Item	Description
25-0185	2.5" wide x 180'

Vapor-Cure Tape



- Prevents cure lines in concrete
- Prevents blotchy finishes in curing floors
- Allows vapors & moisture to escape
- 3" Easily covers Ram Board seams

Item	Description
14-0956	3" X 108'

Seam Tape



PERFECT SOLUTION FOR JOINING RAM BOARD SEAMS

- 3" Easily covers Ram Board seams
- Contractor grade adhesive
- 100% recyclable

Item	Description
14-0906	3" x 164'

Seamer Tape Applicator



QUICKLY TAPE THE SEAMS OF THE FLOOR PROTECTION

Item	Description
14-1629	Seamer Tape Applicator

Multi-Cutter™



DUAL EDGE GUARD SYSTEM™ PROTECTS FLOORING FROM SCUFFS AND DAMAGE

- Magnetic closure for fast and easy blade replacement
- Ergonomic, anti-slip grip design
- Includes 4 standard utility blades

Item	Description
25-0699	Ram Board Multi-Cutter

Ram Jamb®



NO TAPE OR ADHESIVE NECESSARY, DOOR JAMB PROTECTORS INSTALL IN SECONDS.

- Heavy-duty door jamb protection
- Quick & easy to install
- Re-usable
- Available in 36" & 60" lengths
- FSC® certified - recycled/recyclable material

Item	Description
14-1380	36" Door Jamb
14-1381	60" Door Jamb

90-Day Clean Removal Edge Tape



CLEAN REMOVAL, NO RESIDUE* TAPE

- 90-day clean removal* – save time with one single application for long-term jobs
- Lays flat – no curling or lifting tape edges
- High-tensile strength for the toughest jobsite needs

Item	Description
25-0675	2" x 164' Roll



Rhino Tiles are designed for the temporary protection of exterior and interior finished flooring, decks, roofs, and other horizontal surfaces where protection is required. Rhino Tiles are the alternative to fine fluted rubber matting and 8' x 4' sheets of FR Plywood.

Item	Description
16-0992	Rhino Tile FR



Proplex 250 is an ultra lightweight protection board with a twin-wall construction for a strong, yet lightweight solution to surface protection.

Proplex 380 is a semi rigid twin-walled sheet that is both light weight and extremely durable.

Proplex 700 is rigid twin walled sheet.

Proplex 1200 is a rigid twin walled sheet. All of these products are flame retardant and waterproof – perfect for the protection of both horizontal and vertical surfaces.

Item	Description
16-0996	Proplex 250 FR
16-0997	Proplex 380 FR
16-0998	Proplex 700 FR
16-0995	Proplex 1200 HD FR


TEMPORARY PROTECTION



Breathershield FR

Item: 16-0989

Breathershield FR is an air and vapor permeable membrane that ensures newly laid flooring can breath easily, while being protected from damage. Breathershield is the perfect material for uncured surfaces and is easy to quickly roll out for use alone or under other temporary protection products. This flexible and lightweight material is easily cut, but strong and resistant to rips or tears. In addition to being permeable and soft, it is also spill and water resistant, and certified Flame Retardant to the LPS 1207 standard.



Hanger Pins

Item: 16-0991

Hanger pins are used in conjunction with Proplex temporary protection to attach sheets to vertical surfaces such as windows, doors, walls, and elevators without the need for taping. Hanger pins are simple, safe, quick to install, and will not loosen over time. For applications where Proplex must be bent around corners, Hanger Pins can be used to securely hold the edges in place.



“Absurd” Tape FR

Item: 16-0990

Polyethylene (PE) coated cloth tape with an aggressive pressure-sensitive natural rubber adhesive that adheres well to a wide variety of surfaces under a wide range of temperature conditions. Designed to meet demanding applications. Easy dispensing from roll, but may require cutting due to enhanced reinforcement.

CARPET MASKING FILM

- 3 mil, self-adhering polyethylene film.
- Highly resistant to tearing and scuffing, as well as slip-resistant.
- Easily removed, leaving no residue.
(Applied film should not remain on carpet surface for more than 30 days).
- Do not apply on new carpet (adhesive applied) for 48 hours after installation.



Item	Roll Size
14-0850	24" x 200'
14-0843	36" x 200'
14-0852	36" x 500'
14-0854	48" x 500'
14-0967	36" x 300' Fire Retardant (4mil)
14-0969	48" x 300' Fire Retardant (4mil)



Floorliner



- Can be used on hardwood, linoleum, ceramic tile, glass tile, bathtubs, cultured marble, counter tops and other hard surfaces.
- Comprised on non-woven synthetic fibers that have a polyethylene topside and light tack adhesive on the back.
- Reusable and can be left in place for 120 days.

Item	Description
14-0890	40" x 56' Adhesive Floor Liner



ProGuard

DURACOVER

Excellent temporary protection for installed floor systems such as decorative concrete, ceramic tile, pavers and wood floors.

Multi-ply, textured membrane laminated with a nonwoven polypropylene geotextile. The fibers will not absorb the stain of the fresh decorative concrete installations, nor will it scratch wood, ceramic tile or finished floor systems.

Provides protection from construction traffic including scissor lifts, cranes, lulls, rolling scaffolds, dust and debris, liquid spills, paint spills, and other construction related potential hazards.

When installing, overlapping seams should be secured with ProGuard Seam Tape (sold in 4" x 150' rolls).

Item	Description
14-0983	ProGuard Dura Cover (6' x 150' roll)
14-0987	ProGuard Seam Tape (4" x 150' roll)

VERBO-PRO Protection Board is professional temporary floor protection. It is made from recycled fruit juice packaging with a grey PE coating on both sides. VERBO-PRO Protection Board is leak proof, easy to apply and to remove and it is composed of 100% recycled materials. Perfect for use during painting, stucco applications, remodeling, moving etc.

Simply lay to roll on the ground and kick it out to the desired length. It doesn't get much easier.

Item	Description
25-0569	Professional Floor Protection (538 Square Feet)



Corrugated Plastic

- Perfect for window, wall and floor protection
- Chemical and water resistant
- Lightweight, yet durable and reusable
- Translucent - great for window protection since it allows some light penetration.

Item	Description
14-0996	White 4'x8', 1/8"
14-0977	FR Rated- Green Tint 4'x8', 4mm



Masonite

Masonite is made using wood chips, blasting them into long fibers with steam and then forming them into boards. The boards are then pressed and heated to form the finished boards. The long fibers give Masonite a high bending strength, tensile strength, density and stability.

Masonite is made using natural ingredients only,
an environmentally friendly product.



Item	Description
14-0979	4' x 4' x 1/8"
14-0989	4' x 8' x 1/8"
14-0947	4' x 4' x 1/4"
14-0997	4' x 8' x 1/4"



Reinforced Kraft Paper

- Oil, grease and water resistant barrier
- Reinforced for tear and puncture resistance
- Non-bleed, non-staining
- Superior forming characteristics, easily folded without cracking or barrier loss.
- Slip resistant walking surface




Item	Size
14-0973	48" x 300' (FR Rated - NFPA 701)
14-0851	36" x 300'
14-0853	48" x 300'
14-0879	72" x 300'
14-0855	96" x 300'



BBX Board

Bubble-X™ is a new, patented, co-extruded board made of three layers: a central thermoformed “air bubble” core, and two flat and compact “external skins”. This unique design outperforms normal corrugated plastics which cannot withstand challenging applications and environments.

Item	Description
25-0575	4' X 8' - Thickness: .197" Density - 1520 GSM



ALPHA SHIELD®



These flame retardant, 48in x 96in ultra-heavy-duty sheets are designed with support pockets, creating high compression protection, spreading the load of objects and machinery across the entire surface of the product. The fabric-backing prevents scratches against the finished surface while the textured face promotes grip. The product's formulation will allow the product to resist warping, even when exposed to direct sunlight or external environments. The flame retardant felt backed product featured here, plus a non-felt backed non-FR product.

The Alpha Shield non felt, non-FR version are extremely reusable floor protection sheets that resist warping, even when exposed to direct sunlight or external environments. Alpha Shield is lightweight, yet durable and easy to install on the jobsite, a perfect re-usable alternative to plywood or Masonite. Sheets lay down fast and flat and are seamed together using **Surface Shields PE tape**. These temporary floor protection sheets can be used to protect all types of flooring and walls in both internal and external applications.

Alpha Shield can be used for virtually any job. It is tough enough to withstand forklift and other jobsite machinery, yet light enough to be used for vertical.

Item	Description
25-0638	48" X 96" Sheets
25-0639	48" X 96" Sheets (Fire Retardant)



Tacky Mats



To prevent dust and dirt from spreading while building or remodeling, Surface Shields® also offers the Clean Mat.

Each mat contains 30 tabbed sheets for easy removal of each layer. These effective mats are commonly placed outside dust / lead containment areas or used as a door mat when entering a building.



Item	Description
14-0885	36' x 36' x 30' Layer Film Mat w/Tacky Surface



CUSTOM PRINTING IS AVAILABLE!

Ask your Colony Sales Representative for information on our custom printing services.

The Premier Door Protection System



The new and innovative way to avoid costly door repairs and replacement. Reusable and made from 100% recycled materials.

200 Series Features

- Single Ply
- Anti-static, abrasion resistant Nomar® Liner
- Withstands 200psi of burst pressure



Protector Series Features

- Two Ply
- Anti-static, abrasion resistant Nomar® Liner
- Withstands 400psi of burst pressure

Item	Description
14-2116	200 Series 3'0" x 7'0"
14-2117	Protector Series 3'0" x 7'0"
14-2118	Protector Series 3'0" x 8'0"

Quantity Discounts Available



Installation is as easy as 1-2-3

Step 1

Grasp 1-2-3 Door Shield by its hand holds and separate the folded panels slightly.



Step 2

Center and hang 1-2-3 Door Shield over the door.



Step 3

















Unfold each side, remove knockouts to fit hardware and secure the hook-and-loop fasteners.



COLONY

Tools, Supplies and Safety Products for Contractors

SURFACE PROTECTION GUIDE

Application	Good	Better	Best	Bonus Products
Stone & Tile Flooring	 <p>Ram Board Floor Protection Item Description 14-0887 38" wide x 100' See Pg. 4 14-0965 48" wide x 100' See Pg. 4</p>	 <p>Cover Guard FR See Pg. 3 10 / 25 / 40 mil</p>	 <p>Proplex FR Plastic Sheeting See Pg. 6</p>	 <p>VERBO-PRO Protection Board See Pg. 11 Item 25-0569</p>
	 <p>Ram Board Floor Protection Item Description 14-0887 38" wide x 100' See Pg. 4 14-0965 48" wide x 100' See Pg. 4</p>	 <p>Cover Guard FR See Pg. 3 10 / 25 / 40 mil</p>	 <p>Proplex FR Plastic Sheeting See Pg. 6</p>	 <p>Rhino Tile FR See Pg. 6 Item 16-0992</p> <p><i>Rhino Tile in lieu of 3/4" plywood</i></p>
Epoxy, Decorative Concrete Flooring	 <p>Ram Board Floor Protection Item Description 14-0887 38" wide x 100' See Pg. 4 14-0965 48" wide x 100' See Pg. 4</p>	 <p>Floorliner See Pg. 9 Description 14-0890 40" x 56' Adhesive Floor Liner</p>	 <p>Cover Guard FR See Pg. 3 10 / 25 / 40 mil</p>	 <p>VERBO-PRO Protection Board See Pg. 11 Item 25-0569</p>
	 <p>Carpet Masking Film Item Roll Size 14-0850 24" x 200' 14-0843 36" x 200' See Pg. 8 14-0852 36" x 500' 14-0854 48" x 500' 14-0967 36" x 300' FR (4mil) 14-0969 48" x 300' FR (4mil)</p>	 <p>VERBO-PRO Protection Board See Pg. 11 Description Professional Floor Protection (538 Square Feet)</p>	 <p>Ram Board Floor Protection Item Description 14-0887 38" wide x 100' See Pg. 4 14-0965 48" wide x 100' See Pg. 4</p>	 <p>Proplex FR Plastic Sheeting See Pg. 6</p>
Hardwood Flooring				
Carpeting				

Application

Wall Protection



Cover Guard FR
25 / 40 mil See Pg. 3

Cabinets and Countertops



Floorliner
Description See Pg. 9
14-0890 40" x 56' Adhesive Floor Liner

Decorative Railings



Floorliner
Description See Pg. 9
14-0890 40" x 56' Adhesive Floor Liner

Columns



Bubble Wrap
Description See Pg. 9
14-0841 48inches x 250feet

Elevator Floors



Cover Guard FR
40 mil See Pg. 3

Elevator Walls



Cover Guard FR
25 / 40 mil See Pg. 3

Good

Better

Masonite

Item	Description
14-0979	4' x 4' x 1/8"
14-0989	4' x 8' x 1/8"
14-0947	4' x 4' x 1/4"
14-0997	4' x 8' x 1/4"

See Pg. 14



Cover Guard FR
10 / 25 mil See Pg. 3



Cover Guard FR
10 / 25 mil See Pg. 3



Cover Guard FR
25 / 40 mil See Pg. 3



Proplex FR Plastic Sheeting See Pg. 6



Item	Description
14-0979	4' x 4' x 1/8"
14-0989	4' x 8' x 1/8"
14-0947	4' x 4' x 1/4"
14-0997	4' x 8' x 1/4"

See Pg. 14

Best



Proplex FR Plastic Sheeting See Pg. 6



Proplex FR Plastic Sheeting See Pg. 6



Proplex FR Plastic Sheeting See Pg. 6



Rhino Tile FR See Pg. 6
Item 16-0992



Proplex FR Plastic Sheeting See Pg. 6

Bonus Products

Use Hanger Pins for easy installation



Hanger Pins
Item 16-0991 See Pg. 7

Check out our Surface Protection catalog for more details.



Ask your Colony Sales Rep. to get your copy today.

Use Hanger Pins for easy installation



Hanger Pins
Item 16-0991 See Pg. 7

COLONY

Tools, Supplies and Safety Products for Contractors

269 SOUTH LAMBERT RD | ORANGE, CT 06477

DEEP ROOTS. STRONG BRANCHES.

OUR CONTINUED GROWTH HELPS YOU GET THE JOB DONE!



colonyhardware.com



**SCAN TO FIND A
COLONY LOCATION
NEAR YOU**

**COLONY
CONNECTED**

